

# AI for Indian DISCOMs 2026: Load Forecasting, Theft Analytics and O&M Automation

By Sudarshan Karweer · 25 August 2026 · growthifye.com

*A practical 2026 guide to AI in Indian DISCOMs for demand forecasting, theft detection, outage analytics and AT&C loss reduction.*

India's utility digitalisation agenda is moving beyond meter roll-outs and control-room upgrades. In 2026, the sharper question for DISCOMs, lenders, regulators and large electricity users is this: how do utilities convert AMI, SCADA, GIS, billing and outage data into measurable financial outcomes? The answer is increasingly tied to applied AI and advanced analytics.

For Indian DISCOMs, AI is not a branding exercise. It is a set of practical models and workflows that can improve demand forecasting, identify theft and billing anomalies, prioritise feeder maintenance, reduce outage duration, support renewable integration and improve collection efficiency. For C&I consumers and renewable-energy developers, better utility analytics can translate into fewer outages, faster new connections, more accurate billing, improved scheduling visibility and stronger confidence in grid-hosting capacity.

This article focuses on a distinct topic within utility digitalisation and automation: AI-enabled utility operations for Indian DISCOMs in 2026. It covers where AI delivers real value, what data foundations are needed, the business case under Indian tariff and loss conditions, and how utilities should sequence projects under RDSS and state-led modernisation programs.

## Why AI matters for Indian DISCOM economics in 2026

The case for AI starts with the economics of Indian power distribution. Many DISCOMs still operate under high AT&C losses, patchy outage visibility, manual field processes and fragmented data across billing, metering, GIS, ERP and SCADA systems. Even where smart meters are being deployed under the Revamped Distribution Sector Scheme, the value can remain under-realised unless meter data is turned into operational action.

In 2026, a DISCOM with AT&C losses of 15% to 25% is still common in several circles and divisions, even though top-performing urban utilities are much lower. A 1 percentage point reduction in AT&C loss for a medium-to-large utility can mean tens to hundreds of crores in annual impact, depending on input energy, average cost of supply and collection baseline. If average power purchase cost is around Rs 4.5 to Rs 6.5 per kWh and consumer tariffs vary across segments from roughly Rs 3 per kWh for subsidised categories to Rs 8 to Rs 11 per kWh for many C&I slabs, each unit saved or correctly billed has clear value.

AI becomes relevant because utilities now have more digital exhaust than ever before:

- 15-minute or near-real-time consumption intervals from smart meters
- Feeder and distribution-transformer measurements
- SCADA events from substations and urban control centres
- OMS outage tickets and restoration logs
- GIS asset maps and consumer indexing
- Billing, payment and disconnection histories

- Call-centre complaints and field-force service records
- Rooftop solar and behind-the-meter export/import data in select areas

Used well, these datasets can support operational decisions that were previously reactive or manual.

## High-value AI use cases for DISCOMs

Not every AI use case deserves investment. In Indian utility settings, the strongest projects tend to be those linked directly to revenue protection, outage reduction and capital-efficiency gains.

### 1) Short-term load forecasting

For state load dispatch centres, DISCOM planning teams and city circles, accurate day-ahead and intra-day demand forecasting matters more in 2026 because of rising weather variability, heat-driven peaks, EV charging growth and distributed solar output. AI-based forecasting models can combine:

- Historical demand by feeder, substation or division
- Temperature, humidity and heat-index data
- Holiday and festival calendars
- Industrial operation patterns
- Rooftop solar generation proxies
- Agricultural supply blocks where relevant

Improved forecasting helps utilities:

- Reduce imbalance and deviation exposure
- Optimise power procurement and scheduling
- Better plan outages and switching operations
- Identify areas at risk of overloading during peak heat events

Even a 1% to 2% improvement in forecast accuracy at the right operational horizon can create material procurement benefits in high-volume utilities, especially during expensive peak procurement windows.

### 2) Theft detection and non-technical loss analytics

This is often the fastest-payback AI use case. Traditional vigilance methods are labour-intensive and often politically difficult. AI does not replace field enforcement, but it helps target it.

Models can flag suspicious patterns such as:

- Sudden drops in billed consumption without known cause
- Meter bypass indicators inferred from load shape anomalies
- Mismatch between feeder input and aggregated downstream consumption
- Abnormal night-time consumption profiles
- Repeated communication loss correlated with suspicious billing patterns
- High-consumption feeders with low billed energy recovery
- Neighbourhood clusters with correlated irregularities

For agricultural, mixed-load and peri-urban feeders, the challenge is tougher because technical and non-technical losses are interlinked. Here, AI works best when integrated with feeder metering, consumer indexing and transformer-level energy balancing.

A well-designed analytics-led vigilance program can improve hit rates for field inspections substantially versus random inspection. In practice, utilities often look for 2x to 5x better inspection productivity, measured as assessed theft value or recoverable billing per inspection.

### 3) Billing, collection and credit-risk analytics

Payment behaviour models are increasingly useful for DISCOM finance teams. AI can segment consumers by payment risk, likelihood of default, dispute propensity and recovery probability. This supports:

- Smarter reminder and collection campaigns
- Priority disconnection and reconnection workflows
- Consumer-service interventions before arrears accumulate
- Better prepayment migration strategy under smart metering

For lenders and state stakeholders, this matters because collection efficiency remains a major determinant of utility cash flow. If analytics can improve collections by even 0.5% to 1.5% across a large base, the impact on working capital can be meaningful.

### 4) Predictive maintenance for feeders, DTs and substations

Many DISCOM assets still fail in a reactive mode. AI models can ingest transformer loading, voltage quality, temperature, oil test records, breaker operations, outage incidents and maintenance history to identify assets at higher risk of failure.

This enables:

- Condition-based maintenance rather than calendar-only maintenance
- Better spare-part planning
- Prioritised replacement of weak links in high-revenue feeders
- Lower forced outages and lower SAIDI/SAIFI in urban networks

The best business case is usually not from avoiding one catastrophic failure alone, but from reducing repeated nuisance outages across high-density consumer zones where diesel backup costs and customer dissatisfaction are high.

### 5) Outage prediction and restoration analytics

Where SCADA, OMS and field-force systems exist, AI can identify outage hotspots, probable fault locations and restoration bottlenecks. Combined with FLISR-capable automation in urban networks, analytics can help utilities:

- Predict weather-driven outages in vulnerable corridors
- Pre-position crews and spares
- Reduce fault isolation time
- Improve restoration sequencing for critical loads
- Analyse chronic feeders with recurring interruptions

For C&I consumers, this is one of the most visible outcomes of utility digitalisation.

### 6) DER and EV impact analytics

As rooftop solar, battery pilots and EV charging clusters expand, utilities need feeder-level hosting-capacity analytics. AI can help estimate where local voltage rise, reverse power flow or evening ramp stress may

emerge.

This is especially relevant in high rooftop-solar states and urban industrial areas where transformers were not originally designed for two-way flows. While full DERMS deployment may still be selective, analytics-led hosting studies are becoming a practical bridge step.

## Data foundations: what utilities must fix before buying AI tools

Many AI projects fail because utilities buy dashboards before fixing data quality. In India, the core challenge is not lack of software. It is inconsistent asset IDs, poor consumer indexing, missing timestamps, duplicate records and siloed systems.

Before scaling AI, DISCOMs should focus on five fundamentals:

- Clean consumer indexing linking meters, consumers, DTs and feeders
- Time-synchronised data from AMI, SCADA and outage systems
- Common master data for substations, feeders, transformers and consumer categories
- Integration architecture across MDM, billing, GIS, OMS and ERP systems
- Data-governance rules for validation, access, retention and cybersecurity

In practical terms, a theft model is weak if the utility cannot reliably map a consumer to the correct DT or feeder. A forecast model is weak if meter intervals are missing for 20% of the sample. A predictive-maintenance model is weak if maintenance logs are handwritten and never digitised.

Utilities should also avoid a common mistake: using AI as a substitute for basic metering hygiene. If feeder meters are uncalibrated, DT coverage is incomplete and communication uptime is poor, the analytics output will not be trusted by field teams.

## How to build the business case under RDSS and state utility programs

In 2026, most AI-led utility programs in India need to align with broader digitalisation spends rather than stand alone as abstract innovation pilots. The best route is to attach analytics to existing investments in AMI, feeder metering, MDM, GIS, SCADA/ADMS and call-centre modernisation.

A practical business case should quantify value across six buckets:

- AT&C loss reduction from theft targeting and energy accounting
- Collection uplift from payment-risk analytics and prepayment strategies
- O&M savings from predictive maintenance and better crew dispatch
- Power purchase optimisation from improved forecasts
- Reliability gains reflected in reduced outage minutes and complaint volumes
- Deferred capex from better utilisation of existing network capacity

Illustratively, for a utility serving 2,000 MU annually in a division or circle cluster, a 1.5 percentage point improvement in billed-and-collected energy can be financially significant. At an average recoverable value of Rs 6 per kWh, that implies about Rs 18 crore annual gross impact on 300 lakh units improved. Realisable net benefits depend on technical losses, enforcement success, consumer mix and collection follow-through, but the order of magnitude is large enough to justify disciplined deployment.

For predictive maintenance, if analytics can reduce transformer failures by 10% to 20% in targeted high-fault pockets and cut repeat truck rolls, the O&M value plus reliability benefit can support the investment,

especially in urban circles.

Utilities should insist on KPI-linked implementation rather than software licensing alone. Typical measurable KPIs include:

- Reduction in loss percentage on targeted feeders
- Increase in inspection hit rate
- Improvement in collection efficiency by segment
- Reduction in repeat outages on identified feeders
- Lower DT failure rate in monitored clusters
- Better demand forecast MAPE at selected time horizons

## Implementation roadmap: what good execution looks like

The most successful utilities do not start with an enterprise-wide AI promise. They begin with a bounded use case, a clean dataset and an operations owner accountable for outcomes.

A practical 12- to 18-month roadmap can look like this:

### Phase 1: Data and use-case prioritisation

- Audit AMI, feeder, DT, billing, GIS and outage data quality
- Identify 2 to 3 high-value use cases by business impact
- Create baseline KPIs for losses, collections, outages or failures
- Select one urban and one mixed-load pilot geography

### Phase 2: Pilot deployment

- Build integration pipelines from source systems
- Train models using at least 12 to 24 months of historical data where possible
- Validate results with field teams, revenue staff and circle engineers
- Track actual recoveries, outage reduction or forecast gains

### Phase 3: Operational embedding

- Integrate alerts into daily workflows, not separate dashboards only
- Assign field actions, timelines and escalation logic
- Set up monthly model recalibration and exception review
- Link vendor payments to KPI achievement where feasible

### Phase 4: Scale-up

- Expand to additional circles after data and process stabilisation
- Standardise nomenclature, asset hierarchies and reporting
- Add advanced modules such as outage prediction or DER analytics
- Establish a utility analytics centre of excellence

One key lesson from Indian deployments: analytics teams must work with commercial, field and control-room teams from day one. A model that is statistically strong but operationally ignored creates no value.

## What C&I consumers, RE developers and lenders should watch

Utility AI may sound like an internal DISCOM matter, but external stakeholders should pay close attention.

For C&I consumers:

- Better outage analytics can improve power quality and uptime in industrial estates
- Smarter load forecasting may reduce emergency load-shedding events
- Accurate metering and billing analytics can lower billing disputes
- Faster identification of stressed feeders can improve planning for captive and open-access back-up strategies

For renewable-energy developers:

- Better hosting-capacity analytics can support rooftop and distributed RE interconnection planning
- More accurate demand and load-shape visibility can improve storage and hybrid project design
- Improved utility data quality strengthens confidence in local network studies

For lenders and policymakers:

- Analytics-led loss reduction is one of the clearest routes to improving utility cash flows
- KPI-based digitalisation programs are easier to monitor than broad software procurement claims
- Stronger data governance and cybersecurity become more critical as more operational decisions are digitised

Investors should, however, separate real utility analytics capability from superficial platform spending. Evidence should include audited KPI movement, inspection conversion rates, outage improvement, forecast error reduction and measurable collection uplift.

## Key risks and how to avoid them

The risks in AI-led utility programs are predictable.

- Poor data quality leading to false alerts
- Vendor lock-in around proprietary models and data structures
- No workflow integration with field and commercial teams
- Lack of regulator-aligned KPI measurement
- Cyber and privacy risks as consumer and OT data are combined
- Overpromising ROI before data basics are fixed

Mitigation is straightforward but non-negotiable:

- Use open integration standards where possible
- Keep utility ownership of data and model outputs
- Start with clear problem statements and measurable outcomes
- Build human review into high-stakes decisions such as theft enforcement
- Align cyber controls across IT and OT environments
- Establish model-governance rules for bias, drift and retraining

In the Indian context, AI should be treated as a utility operations tool, not a black box. Regulators and utility boards will increasingly expect explainable outputs, especially when analytics influence billing disputes, inspections or capital allocation.

India's DISCOM modernisation journey in 2026 is entering a more demanding phase. The easy headline is smart meters. The harder, more valuable task is turning utility data into operating cash flow, reliability improvement and network readiness for a more distributed power system. AI can help deliver that outcome, but only when tied to feeder-level accountability, clean data architecture and a measurable business case.

For utilities, the next frontier is not simply digital visibility. It is decision automation with financial discipline. For consumers, developers and lenders, that shift will increasingly determine service quality, project bankability and the pace of grid-edge renewable integration.

If your organisation is evaluating AI-led utility digitalisation, AMI analytics, loss-reduction programs, forecasting, SCADA/ADMS integration or data-platform strategy, contact Growthifye's advisory desk for a practical assessment and implementation roadmap.

#### ABOUT THE AUTHOR

#### **Sudarshan Karweer — Chief Executive Officer, Growthifye**

Over 23 years in management consulting — concept to scale — building and scaling new-age digital and energy businesses. An EY alumnus, Sudarshan leads Growthifye's renewable energy & storage advisory, EPC, transmission engineering and green-financing practices for developers, utilities and C&I consumers across India.  
Contact: [info@growthifye.com](mailto:info@growthifye.com) · +91 99676 45323 · [growthifye.com](https://growthifye.com)

This article is for general information only and does not constitute engineering, financial or legal advice. © Growthifye. Sharing with attribution is welcome.